

PRODUCT CATALOG

Stockists and Dealers of Analytical, Scientific
Pharma, Lab & Measuring Instruments



SHREE VISSNU
Group of Companies

S e r v i n g C h e m i c a l s

SHREE VISSNU SCIENTIFIC COMPANY

Ashirwad. Old no 9, New No. 545 E BKR NAGAR SATHY ROAD,
OPP ASHWIN HOSPITAL
Coimbatore - 641 012

Contact: 98422 58998 / 94871 02898

Email: vissnuscscientific1977@gmail.com


Analytical, Scientific, Pharma, Lab & Measuring Instruments

BRANDS ASSOCIATED



HM DIGITAL

- Pen type Meters [pH/TDS/EC/ORP/SALT]
- Online Controllers
- Buffer Solutions
- Refractometer
- Best suitable for the Water Industry
- USP: Korean Make [1 Year Warranty]



SARTORIUS

- Measuring Balance
- Moisture Balance
- Filter Paper [Membranes, Filter Papers]
- Micropipette [Fixed & Variable]
- Water System
- Syringe Filters



ATAGO

- Frying Oil Monitor
- Refractometer High End
- JAPAN Originated



EUTECH - THERMO SCIENTIFIC

- Benchtop Meter [pH/TDS/EC/TURBIDITY/DO]
- Pen type Meter
- Portable Meter
- Buffer solutions NIST Traceable
- Electrode's
- Consumables
- IQ\OQ\PQ : Certification Available



ELECTRONICS INDIA

- pH
- TDS
- COND
- Colorimeter
- Colony Counter
- Turbidity
- Pontentiometer



General Lab Equipment



HAMILTON

- GLASS SYRINGES
- DIGITAL SYRINGE
- DISPENSERS
- BUFFER SOLUTION
- HPLC SYRINGES



REMI

- CENTRIFUGE [Cooling & Regular]
- Mechanical & Magnetic Shakers
- Rotary Shakers
- Cold Cabinets
- Deep Freezers



BLUE STAR / ROHEM / HBG

- COVER GLASS
- MICROSLIDES [Frosted / Regular]
- Cavity Slides
- Counting Chambers
- Hemometer
- Hemocytometer



AQUASOL DIGITAL

- Test Kits [For all Parameters]
- Indian Standard Buffer at Low Cost
- COD Digestor & Meter
- Pen Type Tester
- Bench Top



TESTO . BE SURE.

- Frying Oil Tester
- Smart Probes
- Thermal Image Camera
- Data logger & Monitoring
- Temperature Measuring



LUTRON

- Co2 / O2 Meter
- Lux Meter
- Vibration Meter
- Soil Moisture meter
- pH Meter






CYTIVA WHATMAN

- Lab Filtration
- Cellulose Filter Paper
- Syringe Filter
- Membranes
- Thimbles



ERMA - OCTOLINE

- Refractometer
- Brass / Aluminum Body



MERCK

- MF-Millipore™ Membrane Filter
- Mixed cellulose esters (MCE)
- PVDF / PTFE / CA / CN
- pH Papers [1-14 / 2-10]



METTLER - TOLEDO

- pH Meter & Conductivity Meter Benchtop
- Analytical Balance
- Moisture Balance
- Consumables



OCTO LINE

- Refractometer
- Test Sieves With CC
- Thimbles
- Filter Paper: Ordinary
- Syringe Filter
- Human Models Imported



OCTO VISION

- Microscope: Export Quality
- Glass Thermometer
- Benchtop Meter
- Hand-Held Pen Type Meter
- Electrodes & Consumables





HANNA INSTRUMENTS



- Benchtop Meter [pH/TDS/EC/TURBIDITY/DO]
- Pen type Meter
- Portable Meter
- Buffer solutions NIST Traceable
- Electrodes
- Consumables



MITUTOYO / INSIZE

- Vernier Caliper
- Screw Gauge / Micro Meter
- Surface Hardness Tester
- Various Testing Instruments



←INSIZE→



JAYANT / OCTOLINE TEST SIEVES



- Test Sieves [Brass / S.S]
- Available in: 4" / 7.75" / 8" / 12" Inches
- Sieve Shaker: RO-TAP / Table Model & Electronic Sieve Shaker
- With Certificate on Request



R-TEK

- Alcohol Analyzer
- Data Logger
- Air Quality + Pollution Meter
- Th/Hygro / Contact / Non-Contact Meters
- NDT & Testing Instruments
- Moisture Measuring Tools



HORIBA


- Unique measurement options With LAQUAtwin



ELECTRONICS INDIA

- Bulk Density Apparatus
- Powder Flow Meter
- Dissolution / Disintegration Apparatus
- Friability Tester
- Melting Point Apparatus

Pharma Lab Equipment





MICROLIT

- Liquid Handling Items:
- Micropipette [Fixed & Variable]
- Bottle Top Dispensers
- Multi-Channel Pipettes
- Aqua Digital Series
- Micropipette Stand



LABOMED

- Industrial Microscopes
- Medical Microscopes
- Laboratory Microscopes
- Imaging Devices
- Spares : Eye Pieces & More



OYLMPLUS - MAGNUS

- Industrial Microscopes
- Medical Microscopes
- Laboratory Microscopes
- Imaging Devices
- Spare Parts: Eye Pieces & More



SHIMADZU

- UV-VIS Spectrophotometer
- Liquid Chromatography
- Life Science Lab Instruments
- Gas Chromatography
- Balances



DIMPLE / ZEAL

- Wet & Dry Thermometer
- Glass Thermometer
- Urino meter
- Max - Min
- Hydrometers



PALL

- Lab Filtration
- Cellulose Filter Paper
- Syringe Filter
- Nylon Membranes





**SPECTROPHOTOMETER
VISIBLE RANGE**

- Range 340 To 960 nm
- 3 ½ Digital Display
- Highly Stable & Accurate
- 10 mm Path Length
- Direct Concentration Facility

301, 302, 304, 305, 1305

**SPECTROPHOTOMETER
SINGLEBEAM**

- Microprocessor Based
- Auto Zero and Blank
- Printer Attachment Facility
- PC Connectivity through USB

3305, 2305, 2306



**SPECTROPHOTOMETER
UV-VIS SINGLE BEAM**


- Range 190 To 1000 nm
- 4-Position Cuvette Holder
- 4 Digit Wavelength Display
- Printer Interface

371, 1371

**SPECTROPHOTOMETER
UV IMPORTED SERIES**

- Automatically Adjust to 0%, 100%
- Using 1200/mm High-Performance
- Large Sample Room to Place 50mm Cuvette

3371, 3375, 3385, 2371, 2373
2375, 2377, 2385, 2395



**NANO
SPECTROPHOTOMETERS**

- Wide variable wavelength range 200nm - 800nm
- Android OS with 7 inches Touch Screen
- Small sample size of 0.5 - 2µl

4301, 4305

**ATOMIC ABSORPTION
SPECTROPHOTOMETER**

- Supplied with 4 Hollow Cathode Lamps,
- Compressor, air cooled 100mm Titanium Burner and PC link software

5301



FLUORIMETER

- Covers entire visible range
- Determines the concentration of Fluorophors & Quinine

681

**KARL FISHER
TITRATOR**

- Motorized Dispensing
- External Printer Attachment Facility

1760, 2760



**LEAK TEST
APPARATUS**

- Ideal for Leak Testing of Strips, Blisters & Sachets
- Dessicator Sizes (6/8/12)

961, 1961

**JAR TEST
APPARATUS**

- Digital indication of speed and time
- Two pre-set programs

2 Jar (1922) 4 Jar (1924)
6 Jar (1926)





PH METER

- 2-20 / 1-14 pH
- Microprocessor
- With - Stirrer
- 5 -Point Calibration
- 3 -Point Calibration

**Alpha 01, 111, 111+101, 1016,
1015, 1012, 1013, 1010**

TDS METER

- 0-200ppm / 2ppt / 20ppt / 1000ppt
- Microprocessor
- 5 -Range
- 3 -Range

**Alpha 05, 651, 652,
1601, 1602**



CONDUCTIVITY

- 0-20, 0-200 μ S 0-2, 0-20, 0-200 mS
- Microprocessor / uP Based
- With - Stirrer
- ATC Cell C Adjustments

**Alpha 06, 601, 602, 611, 611+
641, 1601, 1602**

**TURBIDITY /
NEPHELOMETER**

- Digital Turbidity meter
- 4/2 Split ranges
0- 1000 NTU

331 E, 341 E, 335E



POTENTIOMETERS

- 0 - +/-1999 MV / -1999 - +1999 MV
- Mini Controller / Touch Key
- 4/2 Electrode Options

118, 119, 120, 121, 122

COLORIMETER

- 400-700 NM
- 8 Filters / Auto Zero
- Photo / Microprocessor Based

**Alpha 03, 312, 1311,
1312, 1313**



COLONY COUNTERS

- Digital Colony Counter
- 3-6 Digit (999 / 9999 / 999999)
- With magnifier & Pen

**361, 362, 363,
1361, 1362, 1363**

**DRY BATH
INCUBATOR**

- Thermally conducting Block.
- 24 test tubes of 12mm Dia

352



**HEAMO
GLOBINOMETER**

- Haemoglobin concentration in sample
- Measuring Range 0 - 30 gm/dl of Hb.

368

**BLOOD CELL
COUNTER**

- Cell Counting Key 8 Key
- 11 Key (8 Cell keys and 3 Function keys)

**Alpha 05, 651, 652,
1601, 1602**





MELTING POINT APPARATUS

- Extremely Useful for Pharmaceutical Use
- Silicon Oil-bath and In-built Magnetic Stirrer for Uniform Heating

1934, 1935, 2935, 934, 935
931

MULTIPARAMETER

- pH, Conductivity, TDS, DO Salinity, mV & Temp. Measurements
- Turbidity Measurement (191)
- Both Turbidity & Colorimetric Measurement (172)

1160, 191, 161, 172, 641,
181, 1615, 1602, 1611



BULK DENSITY/ TAP DENSITY

- Extremely Useful for Pharmaceutical Use
- Silicon Oil-bath and In-built Magnetic Stirrer for Uniform Heating

951, 1951

POWDER FLOW METER

- Two Pieces Stainless Steel Conical Funnel with 16-Mesh & 1.03mm Opening

PF922



DISINTEGRATION TEST APPARATUS



- Microprocessor based, easy to use
- Seven segment LED display
- 10 Soft touch membrane type keys

901, 904, 1901, 2901

TABLET DISSOLUTION

- Extremely useful for pharmaceutical labs
- Highly Accurate and Easy to Operate
- Programmable Stirrer Control

912, 1912, 1916, 1918, 2914



TABLET FRIABILITY

- Facility to attach with weighing balance
- Rs232 Printer attachment facility
- Automatically calculates percentage friability

901, 904, 1901, 2901

ELECTROMAGNETIC SIEVE SHAKER

- 2 Tier Password Protection
- Fully Alphanumeric Keyboard
- Very Low Noise Operation
- Up to 8 Sieves (Test sieve Dia 200mm x 50mm h)

918



SALINITY BENCH MODEL

- Salinity of aqueous solutions
- Ideal for monitoring salt contents in water and soluble salts in soils.

671

HPLC

- High pressure Liquid Chromatography (HPLC)

5001



BSA - NON TOUCH SCREEN

BSA124S-CW



Capacity: 120 g
Readability: 0.1 mg / 0.0001
Internal calibration
Pan Size 90 mm

BSA 224S-CW



Capacity: 220 g
Readability: 0.1 mg / 0.0001
Internal calibration
Pan Size 90 mm

BSA223S-CW



Capacity: 220 g
Readability: 1 mg / 0.001
Internal calibration
Pan Size 115 mm

BSA323S-CW



Capacity: 320 g
Readability: 1 mg / 0.001
Internal calibration
Pan Size 90 mm

BSA423S-CW



Capacity: 420 g
Readability: 1 mg / 0.001
Internal calibration
Pan Size 90 mm

BSA623S-CW



Capacity: 620 g
Readability: 1 mg / 0.001
Internal calibration
Pan Size 180 x 180 mm

BSA2202S-CW



Capacity: 2200 g
Readability: 10 mg / 0.01g
Internal calibration
Pan Size 180 x 180 mm

BSA3202S-CW



Capacity: 3200 g
Readability: 10 mg / 0.01g
Internal calibration
Pan Size 180 x 180 mm

BSA4202S-CW



Capacity: 4200 g
Readability: 10 mg / 0.01g
Internal calibration
Pan Size 180 x 180 mm

BSA6202S-CW



Capacity: 6200 g
Readability: 10 mg / 0.01g
Internal calibration
Pan Size 180 x 180 mm

BCE - TOUCH SCREEN

BCE223I-10IN



Capacity: 220 g
Readability: 1 mg / 0.001
Internal calibration
Pan Size 120 mm

BCE224I-10IN



Capacity: 220 g
Readability: 0.1 mg / 0.0001
Internal calibration
Pan Size 90 mm

BCE323I-10IN



Capacity: 320 g
Readability: 1 mg / 0.001
Internal calibration
Pan Size 120 mm

BCA324I-10IN



Capacity: 320 g
Readability: 0.1 mg / 0.0001
Internal calibration
Pan Size 90 mm

BCE623I-10IN



Capacity: 620 g
Readability: 1 mg / 0.001
Internal calibration
Pan Size 120 mm

BCE622I-10IN



Capacity: 620 g
Readability: 10 mg / 0.01g
Internal calibration
Pan Size 182 x 182 mm

BCE1202I-10IN



Capacity: 1200 g
Readability: 10 mg / 0.01g
Internal calibration
Pan Size 182 x 182 mm

BCE2202I-10IN



Capacity: 2200 g
Readability: 10 mg / 0.01g
Internal calibration
Pan Size 182 x 182 mm

BCE3202I-10IN



Capacity: 3200 g
Readability: 10 mg / 0.01g
Internal calibration
Pan Size 182 x 182 mm

BCE6202I-10IN



Capacity: 6200 g
Readability: 10 mg / 0.01g
Internal calibration
Pan Size 182 x 182 mm

PRINTER -
YDP20-OCEYD K 03
DENSITY KITADDITIONAL
ACCESSORIES

SS WEIGHTS BOX



Individual E1, E2, F1, F2 and M1 OIML

SPARES



On Request



MA 37 - MOISTURE ANALYZER

- Max. weighing capacity 70 g
- Readability 1 mg, 0.01%
- Typical sample quantity 5 g – 15 g
- Sample heating: Infrared heating using a metal tube heater
- Heating programs: Standard drying, gentle drying
- Shutoff parameters: Fully automatic, semi-automatic, manual and with timer settings

MA 160 - MOISTURE ANALYZER

- Max. weighing capacity 200 g
- Readability 1 mg, 0.01%
- Typical sample quantity 5 g – 15 g
- Heating programs Standard drying, gentle drying, MA35 mode
- Shutoff parameter Fully automatic, semi-automatic, manual and with timer settings
- Sample heating Infrared heating using an AURI heating unit, 600 W



TACTA - MICROPIPETTE

- Utilize the advanced innovative single-channel Tacta® Mechanical Pipette, designed for your comfort and to achieve reliable results.
- Top Features of the Tacta® Mechanical Pipette
- Optimized design, ease of use, reliable results
- Superior Ergonomics, clean and maintain
- Popular Applications for Tacta® Mechanical Pipette. Pharmaceutical research

PROLINE PLUS+ MICROPIPETTE

Proline® Plus combines durable construction with ease and lightness of use, and it is a perfect choice for pipetting professionals and beginners. Proline® Plus offers the widest selection of different models, from Proline® Plus pipettes are easy to clean with only few parts to disassemble and fully autoclavable when sterilization is needed.



PROLINE - MICROPIPETTE

- Wide range of pipettes, both adjustable and fixed volume available
- Volume range from 0.1µl (5µl for fixed) to 5,000µl
- Relaxed grip with ergonomic finger support.
- Reduced risk of contamination with Safe-Cone Filters available for models above 10 µl
- Cost-efficient, yet practical and reliable.

WATER SYSTEM

- Arium® Mini Ultrapure Water Systems
- Arium® Pro Ultrapure Water Systems
- Arium® Advance Pure Water System
- Arium® Advance RO Benchtop System
- Ultrapure Water Systems
- Pure Water Systems
- Reverse Osmosis Pure Water Systems
- Combined Water Systems



THIMBLES

- Cellulose Extraction Thimbles
- Crafted with eco-friendly materials
- Based on high purity Cellulose
- Designed to fit various extractors precisely

HANNA

HI 98301 / 98302

HI 98303 / 98304

HI 98129 / 98130

HI 98107 / 98108



Variety of High End Product



- TDS: 0 - 2,000 [Water proof] HI 98301
- TDS: 0 - 10,000 [Water Proof] HI 98302



- EC Range: 0 - 2,000 $\mu\text{S}/\text{cm}$ HI 98303
- EC Range: 0 - 9999 $\mu\text{S}/\text{cm}$ HI 98304



- COMBO: 3 in 1 [PH/Cond/TDS]
- 98129 - Low Range / 98130 - High range



- pH Meter: 1-14: HI 98107
- pH Meter: 1-14: HI 98108

HI 2211-02: pH/ORP



- pH Range: -2.00 to 16.00 pH
- mV Range: ± 399.9 mV; ± 2000 mV

HI 2020: Edge® Multiparameter



- MULTIPARAMETER: pH/TDS/EC [Additional probe required]

Digital Refractometer



- DIGITAL REFRACTOMETER: ALL RANGES AVAILABLE

BUFFER SOLUTIONS • REAGENTS • CHECKER • ELECTRODES



REMI



- Pharma / Industry / Institution Products

GENERAL CENTRIFUGE



- R - 4 C [4400 RPM]
- R - 8 C [5250 RPM], R - 8 C BL [6000 RPM]

MAGNETIC STIRRERS



- 500 / 1/2 / 5 ML • 1/2 / 3 RML - Rota Mantel
- 1/2 / 5 MLH - With Hot Plate

MINI CENTRIFUGE



- RM 02 PLUS, RM 03 PLUS
- RM - 12 C

CYCLOMIXER'S



- CM 101, CM 101 Plus
- VM 100

LABORATORY STIRRERS



- GENERAL & LABORATORY STIRRERS
- OVER HEAD STIRRERS (Various Capacities)

NEYA SERIES HIGHEND



- High Speed: Cooling Centrifuge
- NEYA 8 / 10 / 12 / 16 / 16R

HIGH END INSTRUMENT



- Vacuum Oven, Orbital shaking incubator
- Mini Rotary Shaker

REFRIGERATOR



- Cooling Incubator, Cold Cabinet
- Walk in Chamber, Stability & Humidity Chambers

SPARES OnRequest



- Spare Head: Spare Brush

HM DIGITAL



- High Quality / Low Cost Durable Meter's

AP: 1



- TDS Range: 0-5000 ppm (mg/L)
- 1 Year Warranty

TDS: 3



- TDS Range: 0 - 9990 ppm (mg/L)
- 3 Year Warranty

pH : 80



- pH Range: 0 - 14
- 1 Year Warranty

pH : 200 PRO SERIES



- pH Range: 0 - 14 [With Temp]
- 1 Year Warranty

COM: 80



- EC Range: 0 - 9990 μS ; 0 - 9.9 mS
- TDS Range: 0 - 5000 ppm (0.5 Scale); 0 - 8560 ppm (0.7 Scale)

COM: 100 PRO SERIES



- UPGRADED: Four scales: μS , mS, ppm 0.5 (NaCl) Scale & 0.7 (442nd) Scale

COM: 360 PRO SERIES



- 4 in 1: pH/TDS/EC/TEMP
- Dual Probe

ORP: 200 PRO SERIES



- ORP Range: -999 to +1000 mV
- 1 Year Warranty

SAL: 1700 PRO SERIES



- Salinity meter for Aquarium 1 Year Warranty

LUTRON

Lutron

Variety of High End Product

LUX METER



- Lux Meter Used to Measure the brightness of the light

DO METER



- Do Meter Used to measure the dissolved oxygen levels in bodies of water

TURBIDITY METER



- Measures suspended solids in liquids to check water quality

SOUND LEVEL METER



- Are used to measure and manage noise

UV METER



- Used to detect the intensity of ultraviolet radiation

ANEMOMETER



- Measures wind speed and direction

O2 / CO2 METER



- Used to monitor, detect and control the levels of gases

pH / EC Meter • VIBRATION METER • Soil Moisture • ELECTRODES



EUTECH

EUTECH INSTRUMENTS
Technology Made Easy ...

World Leader in Water Quality Instruments

PEN TYPE



- Pocket testers for pH, EC, TDS, etc

BENCH TOP MODEL



- Laboratory requirements at every level

PORTABLE METER



- Laboratory requirements at every level

BUFFER SOLUTION'S



- PH, EC, COND Buffers (NIST traceable)

TUTOR SERIES



- Microprocessor based Table-Top meters

TURBIDITY METER HIGHEND



- Measures suspended solids in liquids to check water quality

DO METER



- Do Meter Used to measure the dissolved oxygen levels in bodies of water

MULTI-PARAMETER



- pH / mV / Ion / Conductivity / TDS / Salinity / DO / °C / °F

SPARES On Request



- Electrodes and other spare parts

RTEK

R-tek

- All Testing / Measuring Equipment at Economical Pricing

Digital Folding Temp.



- Ideal for Cooking / Lab / Pharma Uses

Digital Waterproof Temp.



- IP 66 Water Resistant : Can Fully Submerge in water

Infrared Thermometer



- Economical : Different Range Available

Digi . Psychrometer



- Special Testing Products available in this Brand

Digi. Thermo/Hygro



- Fully Digital With Touch Screen & Many Normal Models Also Available

Digi. With Timer



- Digital with timer Option

Digi. Fridge thermometer



- Wall Mount : Temperature Monitor

METAL DETECTOR



- Recharge Facility
- With Carrying Case

P Series Low Cost



- pH/TDS/EC/COND : Multiparameter's
- 98107 / 98301 / 98302 / 98303 / 98304

GENERAL PRODUCTS



FLOW CUP



SLIT ROD



SYRINGE FILTER




IR THERMOMETER




WET & DRY



ALCOHOL TESTER



CAPILLARY



PRISM




ESRITE KIT



PETRI DISH



CRUCIBLE



TIPS



PETROLEUM
PRODUCT



AGATE



GLOVES



S.WATCH / CLOCK



SV / UV LAMP



HOT AIR OVEN



MUFFLE FURNACE



BOD / COD INCUB.




POLARIMETER



MAGNIFIER



WEATHER STATION



SILICON TUBING



COMPARATOR



PARAFILM



VACCUM PUMP



HEATING MANTEL



HOT PLATE



FILTER HOLDER

PHARMA PRODUCTS



BLOOD ROLLER



LAMINAR AIR FLOW



MICROSCOPE



ORBITAL SHAKER



INCUBATORS



WATER BATH / STILL




AMPOULE



ELECTROPHORESIS



AUTOCLAVE



CAPSULE FILLING



HEAMATOLOGY



TABLET HARDNESS



PFIZER HARDNESS



PCR



HOMOGENISER



MICROPIPETTE



TABLET MAKING



TABLET PUNCHING



TABLET COATING



TRAY DRYER



UV CABINET



SIEVE SHAKER



STAGE/OCCULAR



BALL MILL



COD DIGESTOR



**IR MOISTURE
BALANCE**



TLC



TISSUE FLOTATION



OIL / WAX BATH



ULTRA SONIC

GENERAL PRODUCTS



HTC 1 & 2



PH INDICATOR PAPER



HYDROMETER



BLOOD CELL COUNTER



RBC / WBC



ERMA 035



WOOD MOSITURE



MAX - MIN



HUMAN MODELS



OIL / WATER PASTE



DTM 902 / JR7



MULTITEM



TEST KITS



MILK TESTING



FRIDGE THERMO



DPD TABLETS



GRATINGS



AIR QUALITY



ELECTRODES



LININ TESTER



COATING THICKNESS



INFRA BALANCE



SAFFRON BALANCE



CUVETTE



CENTRIFUGE

SHREE VISSNU SCIENTIFIC COMPANY

Ashirwad. Old no 9, New No. 545 E BKR NAGAR SATHY ROAD,
OPP ASHWIN HOSPITAL
Coimbatore - 641 012

Contact: 98422 58998 / 94871 02898

Email: vissnuscscientific1977@gmail.com

Analytical, Scientific, Pharma, Lab & Measuring Instruments